

Vakgroep fysische chemie

Dr. J. Biemond

Dielectric alignment of a non-polar molecule substituting a polar molecule in a lattice of molecular dipoles; in: *Physica BBA* (1977), p. 385.

J. Bulthuis

A NMR study of the conformation of glutaric anhydride partially oriented in a nematic solvent; in: *J. Molecular Structure* 38 (1977), p. 149.

Drs. J. J. Dekkers, G. Ph. Hoornweg, Drs. G. Visser, Prof. dr. ir. C. MacLean en Dr. N. H. Velthorst

Some characteristic features of Shpolskii spectra. The key and hole rule for Shpolskii systems; in: *Chem. Phys. Letters* 47 (1977), p. 357.

Drs. W. J. M. Heuvelsland en Dr. G. Somsen

Volumetric behaviour of tetra-n-butylammonium bromide in mixtures of N,N-dimethylformamide and water; in: *J. Chem. Thermodynamics* 9 (1977), p. 231.

Drs. D. M. de Leeuw, Dr. C. A. de Lange en Prof. dr. ir. C. MacLean

A double modulation technique for the detection of transient species in photo-electron spectroscopy; in: *J. Electron Spectroscopy* 9 (1976), p. 185.

Prof. dr. J. M. Los, Drs. L. F. Roeleveld en Dr. B. J. C. Wetsema.

Pulse Polarography X. Formaldehyde hydration in aqueous acetate and phosphate buffer solutions; in: *Journal Electroanalytical and Interfacial Chemistry* 75 (1977), pp. 819-837.

Dr. G. J. den Otter, Dr. J. Bulthuis, Dr. C. A. de Lange en Prof. dr. ir. C. MacLean

^{19}F Shielding anisotropies of 2,4,6-trifluoro-nitrobenzene from nematic phase NMR; in: *Chem. Phys. Letters* 45 (1977), p. 603.

Drs. L. F. Roeleveld, Dr. B. J. C. Wetsema en Prof. dr. J. M. Los

Pulse Polarography XI. Some problems in solving kinetic equations; in: *Journal Electroanalytical and Interfacial Chemistry* 75 (1977), pp. 839-844.

Dr. C. de Visser en Dr. G. Somsen

Enthalpies of solution of several solutes in aqueous organic mixed solvents; in: *Advances in Chemistry Series* 155, *Thermodynamic Behaviour of Electrolytes in Mixed Solvents*; W. F. Furter, editor, 1976, Chapter 17.

Dr. C. de Visser, Dr. G. Perron, Dr. J. E. Desnoyers, Drs. W. J. M. Heuvelsland en Dr. G. Somsen

Volumes and heat capacities of mixtures of N,N-dimethylformamide and water at 298.15 K; in: *J. Chem. Eng. Data* 22 (1977), p. 74.